

क्षेत्रीय जैवप्रौद्योगिकी केन्द्र

राष्ट्रीय महत्ता की संस्था, जैवप्रौद्योगिकी विभाग
भारत सरकार द्वारा यूनेस्को के तत्वावधान में स्थापित

Regional Centre for Biotechnology

An Institution of National Importance,
Established by the Department of Biotechnology, Government of India
(Under the auspices of UNESCO)

RCB/04-02/23/2021-22/

Date-25.08.2021

Work -Providing & Fixing of two wire mesh shutters in flat No. 603 at RCB housing building, NCR Biotech Science Cluster, Faridabad.

Terms & Conditions:

1. The Work shall be done as per Work order's terms and conditions, schedule of rates, specifications and as per instruction of Engineer In-charge.
2. **Duly filled in price bid with rates, must be submitted in a sealed envelope at RCB reception tender box up to 1400 Hrs on 08.09.2021. Late bids will not be accepted.**
3. Completion time 21 days from issue of Work order.
4. Warranty / Guarantee: Bidder must provide One year warranty and it will be started from the date of the satisfactory installation / commissioning of goods, against the defect of any manufacturing, workmanship and poor quality of the components. No offer of the vendor will be accepted without warranty/ guarantee of their supplied/ installed goods.
5. The rate should be inclusive of material, labour, freight, cartage, loading-unloading and fixing etc. GST part should be shown separately
6. The Security Deposit @ 10% of work value will be deducted from bill which will be released after completion of Warranty One year.
7. Income tax shall be deducted from bill as per GOI rules for which contractor/supplier should have a PAN No. and GST No. in the name of registered company of proprietor for depositing TDS.
8. No advance payment shall be allowed.
9. The payment will be made after Completion of work, and actual measured.

Price Bid

Name of Work : Providing and Fixing two wire mesh shutters in flat No. 603 at RCB Housing Building,NCR Biotech Science Cluster, Faridabad

Sr no.	Description of Item	Qty.	Unit	Rate	Amount
1	Providing and fixing 30 mm thick wire gauge door shutters using Kiln seasoned and chemically treated hollock wood fixed with ISI marked stainless steel butt hinges of required size and stainless steel grade 304.wire gauge of average width of aperture 1.4 mm in both directions with wire of dia 0.50 mm,	3.50	Sqm		
2	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete of size 250x10 mm	2.00	Each		
3	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete of size 150x10 mm	2.00	Each		
4	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete of size 125 mm	4.00	Each		
5	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. 9.101.2 Twin rubber stopper each 62.05	2.00	Each		

6	Providing and fixing T-iron/Angle iron frames for doors, windows and ventilators of mild steel , joints mitred and welded, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer and fixing with carbon steel galvanised dash fastener of required dia and size (to be paid for separately)	30	Kg		
7	Deduct for not providing hinges in doors, windows or clerestory window shutters with ISI marked M.S. pressed butt hinges bright finished of required size for 2nd class teak wood and other class of wood shutters.	3.50	sqm		
8	Providing and fixing carbon steel galvanised (minimum coating 5 micron) dash fastener of 10 mm dia double threaded 6.8 grade (yield strength 480 N/mm ²), counter sunk head, comprising of 10 mm dia polyamide PA 6 grade sleeve, including drilling of hole in frame , concrete/ masonry, etc. as per direction of Engineer-in-charge. of size 10 x 80 mm	16	Each		
9	Applying priming coat: With ready mixed pink or Grey primer of approved brand and manufacture on wood work (hard and soft wood)	12	sqm		
10	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :Two or more coats on new work	12	Sqm		
	Total				
	GST %				
	Gr. Total				