


NOTICE INVITING QUOTATIONS

Name of Work: Providing and fixing of MS Angle Structure for AC outdoor stand at RCB Building, NCR Biotech Science Cluster, 3rd Milestone, Faridabad-Gurgaon Expressway, Faridabad.

Sealed spot quotation are invited from the contractor & fabricators for **Providing and Fixing of MS Angle Structure** for AC outdoor unit stand at RCB Building, NCR Biotech Science Cluster, Faridabad. As per "Schedule of work".

TERMS AND CONDITIONS

1. Fabrication of MS structural as per Schedule of Work, specification and instruction of Engineer-In-charge.
2. Vendors are requested visit site to assess scope of work before submitting quotation.
3. Sealed quotation should be submit at RCB reception **up to 11.00 AM on 08.10.2020 and quotation will be opened at 1130 Hrs on same day.**
4. MS structure will be installed on RCB building's exterior wall at approx 8 Mtr. height
5. No Advance payment shall be made.
6. Payment will be made as per actual work done and measured.
7. Triplicate pre-receipted invoice should be submitted by agency with revenue ticket of ₹1/-
8. Income tax shall be deducted from bill as per GOI rules for which contractor/supplier should have a **PAN No. and GST No.** in the name of registered company of proprietor for depositing TDS.
9. The rate should be inclusive of labour, freight, cartage, loading-unloading and fixing etc. GST part should be shown separately.
10. Time allowed for completion for work shall be 15 days from date of issue of Work order.
11. The rates are inclusive of all heights.


(R K Rathore)
Executive Engineer

NIQ NO- RCB/04-02/95/NIQ-10/2020-21

Schedule of Work


Price Bid

Name of Work: Providing and fixing of MS Angle Structure for AC outdoor stand at RCB Building, NCR Biotech Science Cluster, 3rd Milestone, Faridabad-Gurgaon Expressway, Faridabad.

SL. No	Description	Qty	Unit	Rate	Amount
1	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete as per attached drawing.				
	MS angle 50 x 5 mm, MS flat bar 50 x 5 mm	116	KG		
2	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :				
	Two or more coats on new work	6.35	Sqm		
3	Carbon Steel galvanised (min 5 micron) dash fastener (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10mm x 80 mm	16	Nos		
			Total		
			GR. Total		

Reasonable and competitive rate including GST should be submitted by agency.

Signature and stamp of Bidder



02/01/10
مهندسی
عماد

02/01